


XCOPRI[®]
(cenobamate tablets) 
12.5 • 25 • 50 • 100 • 150 • 200 mg

XCOPRI[®] (cenobamate tablets) CV is a prescription medicine used to treat partial-onset seizures in adults 18 years of age and older.

MOVE FORWARD WITH XCOPRI.

It could get you on the road
to significant seizure reduction.



Important safety information for XCOPRI[®] (cenobamate tablets) CV

Do not take XCOPRI if you:

- Are allergic to cenobamate or any of the other ingredients in XCOPRI.
- Have a genetic problem (called Familial Short QT syndrome) that affects the electrical system of the heart.

Please see additional Important Safety Information throughout and full Prescribing Information and Medication Guide.

The confidence to try a different medication, so fewer seizures could be yours.


You want fewer seizures but you fear the unknown—wondering if a new treatment will set you back or bring on more side effects—and that can stop you from trying a different epilepsy medicine. XCOPRI has been proven to significantly reduce seizures, even among those who’ve suffered from them for over 20 years.



Navigate through questions you might have.

→ Can XCOPRI help me?	4
→ What side effects could I experience while taking XCOPRI?	6
→ How well has XCOPRI worked for others?	8
→ Can I afford XCOPRI?	10

Keep going to get answers.



Important safety information (cont'd)

XCOPRI CAN CAUSE SERIOUS SIDE EFFECTS, INCLUDING:

Allergic reactions: XCOPRI can cause serious skin rash or other serious allergic reactions which may affect organs and other parts of your body like the liver or blood cells. You may or may not have a rash with these types of reactions. Call your healthcare provider right away and go to the nearest emergency room if you have any of the following: swelling of your face, eyes, lips, or tongue, trouble swallowing or breathing, a skin rash, hives, fever, swollen glands, or sore throat that does not go away or comes and goes, painful sores in the mouth or around your eyes, yellowing of your skin or eyes, unusual bruising or bleeding, severe fatigue or weakness, severe muscle pain, frequent infections, or infections that do not go away. **Take XCOPRI exactly as your healthcare provider tells you to take it. It is very important to increase your dose of XCOPRI slowly, as instructed by your healthcare provider.**

Please see additional Important Safety Information throughout and full Prescribing Information and Medication Guide.

How XCOPRI can help.

A clinical study showed XCOPRI reduced the frequency of seizures by up to 55%*†



Seizures were reduced by:

-  55% – XCOPRI 400mg
-  55% – XCOPRI 200mg
-  36% – XCOPRI 100mg
-  24% – Placebo (sugar pill)



XCOPRI has been proven to significantly reduce seizures, even in those who've had seizures for over 20 years.



*During an 18-week study (6-week titration phase and 12-week maintenance phase) when participants were taking either XCOPRI or placebo (sugar pill), which was added to their anti-seizure medication to treat partial-onset seizures

†Individual results may vary.



Learn more about how well XCOPRI can work at xcopri.com/xcopri-results/ or scan QR code

Important safety information (cont'd)

QT shortening: XCOPRI may cause problems with the electrical system of the heart (QT shortening). Call your healthcare provider if you have symptoms of QT shortening including fast heartbeat (heart palpitations) that last a long time or fainting.

Suicidal behavior and ideation: Antiepileptic drugs, including XCOPRI, may cause suicidal thoughts or actions in a very small number of people, about 1 in 500. Call your health care provider right away if you have any of the following symptoms, especially if they are new,

Important safety information (cont'd)

worse, or worry you: thoughts about suicide or dying; attempting to commit suicide; new or worse depression, anxiety, or irritability; feeling agitated or restless; panic attacks; trouble sleeping (insomnia); acting aggressive; being angry or violent; acting on dangerous impulses; an extreme increase in activity and talking (mania); or other unusual changes in behavior or mood.

Please see additional Important Safety Information throughout and full Prescribing Information and Medication Guide.

Possible side effects.

Like with most medicine, you can experience side effects while taking XCOPRI:

MOST COMMON SIDE EFFECTS



Feeling sleepy
and tired



Dizziness



Double vision



Headache

Before starting once-daily XCOPRI

It is important to let your doctor know if you have been diagnosed with a genetic problem that affects your heart (called Familial Short QT syndrome). Do not take XCOPRI if you have Familial Short QT syndrome.

Managing your side effects

Everyone reacts differently to ASMs. Just as your body needs time to adjust when starting a new ASM, you might experience symptoms. Keep track of any side effect you have and share it with your doctor. They can provide medical advice about side effects.

In clinical studies, while mood-related side effects were uncommon in participants taking XCOPRI, it is important to pay attention to any changes, especially sudden changes in mood, behaviors, thoughts or feelings and report any to your healthcare provider.

XCOPRI can cause serious or life-threatening side effects

Call your doctor or 911 right away if you experience reactions such as a skin rash, hives, fever, swelling of the face, eyes, lips, or tongue. Please refer to the Medication Guide and Important Safety Information for additional information.

These are not all the possible side effects of XCOPRI. A full description of side effects can be found in the full Prescribing Information and Medication Guide and throughout this brochure.



Learn more about the side effects of XCOPRI
at xcopri.com/taking-xcopri/ or scan QR code

Important safety information (cont'd)

Nervous system problems: XCOPRI may cause problems that affect your nervous system. Symptoms of nervous system problems include: dizziness, trouble walking or with coordination, feeling sleepy and tired, trouble concentrating, remembering, and thinking clearly, and vision problems. **Do not drive, operate heavy machinery, or do other dangerous activities until you know how XCOPRI affects you.**

Do not drink alcohol or take other medicines that can make you sleepy or dizzy while taking XCOPRI without first talking to your healthcare provider.

Important safety information (cont'd)

DISCONTINUATION:

Do not stop taking XCOPRI without first talking to your healthcare provider. Stopping XCOPRI suddenly can cause serious problems. Stopping seizure medicine suddenly in a patient who has epilepsy can cause seizures that will not stop (status epilepticus).

Please see additional Important Safety Information throughout and full Prescribing Information and Medication Guide.

Stories from the road of seizure reduction.

Hear from people like you who've overcome the fear of trying a different medication. They've had fewer seizures with XCOPRI.



Kailey



JenVon



Shannon



See their stories at xcopri.com/epilepsy-patient-videos/ or scan QR code

Important safety information (cont'd)

DRUG INTERACTIONS:

XCOPRI may affect the way other medicines work, and other medicines may affect how XCOPRI works. **Do not start or stop other medicines without talking to your healthcare provider.** Tell healthcare providers about all the medicines you take, including prescription and over-the-counter medicines, vitamins and herbal supplements.

You're not alone in your journey.

Starting a new medication can leave you with questions and concerns. Talking to your doctor about XCOPRI can help. XCOPRI can also get you paired with a mentor who knows what you're going through.

Some topics you could discuss with your mentor:

- Personal experience with XCOPRI
- Tips on navigating side effects
- Advice on building and maintaining a support system

Get started

Brought to you by **PatientPartner**

1

Tell us about yourself

Take the PatientPartner survey to find a mentor who's been through a similar journey, ensuring a perfect match.

2

Message your mentor

Meet the mentor you've been matched with and send them a message to introduce yourself and ask questions.

3

Get support and advice

Keep in touch with an advocate who understands your experiences and can give guidance throughout your journey.



Get started at patientpartner.com/treatments/skx

Important safety information (cont'd)

PREGNANCY AND LACTATION:

XCOPRI may cause your birth control medicine to be less effective. **Talk to your health care provider about the best birth control method to use.**

Please see additional Important Safety Information throughout and full Prescribing Information and Medication Guide.

Start down the road.

The XCOPRI[®] (cenobamate tablets) CV Trial Offer was designed to allow people getting started on XCOPRI to see if it's right for them. If eligible, you can **receive your first month's prescription of XCOPRI (12.5/25 mg) at \$0.***



After that, most eligible patients with commercial insurance may **pay as little as \$20 per month*** on their refills.



On average, **9 out of 10 people** in the United States with some type of prescription insurance have access to XCOPRI.

See full terms and conditions [here](#), or at: xcopri.com/epilepsy-resources/

* Eligibility requirements apply.

Important safety information (cont'd)

Talk to your health care provider if you are pregnant or plan to become pregnant. It is not known if XCOPRI will harm your unborn baby. Tell your healthcare provider right away if you become pregnant while taking XCOPRI. You and your healthcare provider will decide if you should take XCOPRI while you are pregnant. If you become pregnant while taking XCOPRI, talk to your healthcare provider about registering with the North American Antiepileptic Drug (NAAED) Pregnancy Registry. The purpose of this registry is to collect information about the safety of antiepileptic medicine during pregnancy. You can enroll in this registry by calling 1-888-233-2334 or go to www.aedpregnancyregistry.org.

Talk to your health care provider if you are breastfeeding or plan to breastfeed. It is not known if XCOPRI passes into breastmilk. Talk to your healthcare provider about the best way to feed your baby while taking XCOPRI.

COMMON SIDE EFFECTS:

The most common side effects in patients taking XCOPRI include dizziness, sleepiness, headache, double vision, and feeling tired.

What to expect from insurance

Commercial Insurance
(usually through you or a family member's employer)

You may be eligible to get your XCOPRI for **\$20** per prescription. This will happen automatically at the pharmacy when you check out.

Medicaid

You can typically expect to pay less than **\$5** per prescription.

Medicaid Extra Help (i.e., Medi-Medi, dual-eligible, low income subsidy)

You can typically expect to pay less than **\$15** per prescription.

Medicare Part D only

Insurance plans vary. Consult your plan for your copay costs. Medicare Part D patients have a **\$2,000** max out of pocket for all covered medications per calendar year and can enroll in the Medicare Payment Prescription Program. For more information go to www.medicare.gov/prescription-payment-plan



Important safety information (cont'd)

These are not all the possible side effects of XCOPRI. Tell your healthcare provider if you have any side effect that bothers you or that does not go away. For more information, ask your healthcare provider or pharmacist.

Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088 or at www.fda.gov/medwatch.

DRUG ABUSE:

XCOPRI is a federally controlled substance (CV) because it can be abused or lead to dependence. Keep XCOPRI in a safe place to prevent misuse and abuse. Selling or giving away XCOPRI may harm others and is against the law.

INDICATION:

XCOPRI is a prescription medicine used to treat partial-onset seizures in adults 18 years of age and older. It is not known if XCOPRI is safe and effective in children under 18 years of age.

Please see additional patient information in the Medication Guide. This information does not take the place of talking with your healthcare provider about your condition or your treatment.

Please see full Prescribing Information and Medication Guide.

XCOPRI[®]
(cenobamate tablets) 
12.5 • 25 • 50 • 100 • 150 • 200 mg

ASK YOUR DOCTOR HOW YOU CAN MOVE FORWARD WITH XCOPRI.

It could get you on the road to significant seizure reduction.



Find a doctor at my.aesnet.org/FindaDoctor
or scan QR code



Important Safety Information for XCOPRI[®] (cenobamate tablets) CV

DO NOT TAKE XCOPRI IF YOU:

- Are allergic to cenobamate or any of the other ingredients in XCOPRI.
- Have a genetic problem (called Familial Short QT syndrome) that affects the electrical system of the heart.

XCOPRI CAN CAUSE SERIOUS SIDE EFFECTS, INCLUDING:

Allergic reactions: XCOPRI can cause serious skin rash or other serious allergic reactions which may affect organs and other parts of your body like the liver or blood cells. You may or may not have a rash with these types of reactions. Call your healthcare provider right away and go to the nearest emergency room if you have any of the following: swelling of your face, eyes, lips, or tongue, trouble swallowing or breathing, a skin rash, hives, fever, swollen glands, or sore throat that does not go away or comes and goes, painful sores in the mouth or around your eyes, yellowing of your skin or eyes, unusual bruising or bleeding, severe fatigue or weakness, severe muscle pain, frequent infections, or infections that do not go away. **Take XCOPRI exactly as your healthcare provider tells you to take it. It is very important to increase your dose of XCOPRI slowly, as instructed by your healthcare provider.**