NEXT STEPS WITH XCOPRI

Now that you've been prescribed XCOPRI, you may want to **learn more about:**

- Filling Your Prescription
- O Costs
- SK life science navigator Patient Assistance Program
- Side Effects
- What Other Patients Are Saying About XCOPRI





FILLING YOUR XCOPRI PRESCRIPTION



GETTING STARTED

- Your pharmacy will need your prescription to order your XCOPRI. If your doctor didn't send it to your pharmacy electronically, be sure to bring your paper copy.
- Ask your pharmacist to order XCOPRI for you. It should arrive at the pharmacy in 3 to 5 business days.
- Confirm with your pharmacy that your prescription is ready for pick-up.
- To get your next prescription, call your pharmacy at least one week before you run out of XCOPRI and request they order it.

TIPS FOR GETTING REFILLS



Save time! Ask your pharmacy if you can **opt-in for "autofill"** so your prescription is refilled at the same time every month.

Once you get on a steady dose, ask your doctor to write a **3-month supply** of XCOPRI.





Ask your pharmacy if they're able to deliver your prescription **directly to your home**.

If you are having issues filling your XCOPRI at your retail pharmacy or have interest in learning more about Specialty Pharmacy options, call our Pharmacy Hotline at 1-833-PHARM-SK (742-7675) Monday to Friday 9am to 6pm ET.

XCOPRI COSTS

Eligible patients can receive XCOPRI at \$0 cost for their first month



You can receive your first month of XCOPRI (12.5/25mg Titration Pack 1) at **no cost** in one of two ways:

Receive a prescription and trial offer from your doctor.
 Download the XCOPRI® Trial Offer at XCOPRI.com

..... OR



• Ask your doctor for a sample before you leave the office.

*Note: Only one of these options may be used. Terms and conditions apply.

IF YOU HAVE	YOU MAY
Commercial Insurance (usually through you or a family member's employer)	Be eligible to get your XCOPRI for \$20 per prescription. This will happen automatically at the pharmacy when you check out.
Medicaid	Expect to pay less than \$5 .
Medicaid AND Medicare	Expect to pay about \$10 .
Medicare Part D only	Insurance plans vary. Consult your plan for your copay costs.

SK LIFE SCIENCE NAVIGATOR

If you cannot afford your XCOPRI copay or if your insurance does not cover XCOPRI, the SK life science navigator program may be able to help.

Navigator may help in 3 ways:

- See if XCOPRI is covered by your insurance
- Receive free product if you are eligible and experiencing financial hardships
- Locate a pharmacy that has XCOPRI available

You can reach SK life science navigator here:



1-866-SKNAVIG (756-2844) Monday – Friday from 9am ET – 6pm ET



SKNavigator@rxallcare.com







XCOPRI SIDE EFFECTS

What side effects could you experience while taking XCOPRI?

Like with any medication, side effects are possible.

Most common side effects:





Feeling sleepy and tired

Dizziness





Double vision

Headache

Managing your side effects

Everyone reacts differently to antiseizure medications (ASMs). As your body adjusts to starting a new ASM, you may experience side effects. Keep track of any side effects you may have. If you experience a side effect, do not discontinue the medication without discussing with your doctor.

It is important to pay attention to any changes, especially sudden changes, in mood, behaviors, thoughts, or feelings, and report them to your healthcare provider.

XCOPRI can cause serious or life-threatening side effects

Call your doctor or 911 right away if you experience reactions such as a skin rash, hives, fever, swelling of the face, eyes, lips, or tongue. For additional information, please refer to the Medication Guide and Important Safety Information.

Before starting once-daily XCOPRI: Familial Short QT syndrome

It is important to let your doctor know if you have been diagnosed with the genetic problem that affects your heart called Familial Short QT syndrome. Do not take XCOPRI if you have Familial Short QT syndrome.

These are not all the possible side effects of XCOPRI. A full description of side effects can be found in the <u>Medication Guide</u> and <u>Important Safety Information</u>.



SEE WHAT OTHER PATIENTS ARE SAYING ABOUT XCOPRI

How well has XCOPRI worked for other people?

Meet actual patients or people who faced their fears and chose XCOPRI as part of their treatment journey.



Community Supporter

Before XCOPRI

10 seizures / month

After XCOPRI

0 seizures / month



A Winner's Mentality

Before XCOPRI

3-6 seizures / month

After XCOPRI

0 seizures / month



A Teacher & Advocate

Before XCOPRI
Daily seizures
After XCOPRI
1 seizure / month[†]



The Role of a Lifetime

Before XCOPRI

Daily seizures

After XCOPRI

1 seizure / 6 months[†]



A Mother's Joy

Before XCOPRI

Multiple seizures/month

After XCOPRI

1 seizure / 6-8 weeks†



A Family of Fighters

Before XCOPRI
Daily seizures
After XCOPRI
1-2 seizures
/ week[†]



†As of 8/15/23. Individual experiences may vary.

WANT TO LEARN MORE ABOUT XCOPRI?



Talk to a **real patient** or **caregiver** about their experience.

Switching medication can be scary—you're not alone!

Privately talk to someone who wanted more from their treatment, whether you're a patient or a caregiver. Get more insight and let it inspire you to talk with your doctor about XCOPRI (cenobamate tablets) CV.

Things you can ask your mentor privately:

- Personal experience with XCOPRI
- Tips on navigating side effects
- Advice on building and maintaining a support system

HOW IT WORKS

Brought to you by:

PatientPartner

Tell us about yourself

Take the PatientPartner quiz to find a mentor who's been through a similar journey, ensuring the perfect match for you!

Message your mentor

Meet the mentor you've been matched with and send them a message to introduce yourself and ask questions. Get support and advice

Gain an advocate who understands your experiences and can offer guidance as you navigate your journey.



IMPORTANT SAFETY INFORMATION

DO NOT TAKE XCOPRI IF YOU:

- · Are allergic to cenobamate or any of the other ingredients in XCOPRI.
- · Have a genetic problem (called Familial Short QT syndrome) that affects the electrical system of the heart.

XCOPRI CAN CAUSE SERIOUS SIDE EFFECTS, INCLUDING:

Allergic reactions: XCOPRI can cause serious skin rash or other serious allergic reactions which may affect organs and other parts of your body like the liver or blood cells. You may or may not have a rash with these types of reactions. Call your healthcare provider right away and go to the nearest emergency room if you have any of the following: swelling of your face, eyes, lips, or tongue, trouble swallowing or breathing, a skin rash, hives, fever, swollen glands, or sore throat that does not go away or comes and goes, painful sores in the mouth or around your eyes, yellowing of your skin or eyes, unusual bruising or bleeding, severe fatigue or weakness, severe muscle pain, frequent infections, or infections that do not go away. Take XCOPRI exactly as your healthcare provider tells you to take it. It is very important to increase your dose of XCOPRI slowly, as instructed by your healthcare provider.

QT shortening: XCOPRI may cause problems with the electrical system of the heart (QT shortening). Call your healthcare provider if you have symptoms of QT shortening including fast heartbeat (heart palpitations) that last a long time or fainting.

Suicidal behavior and ideation: Antiepileptic drugs, including XCOPRI, may cause suicidal thoughts or actions in a very small number of people, about 1 in 500. Call your health care provider right away if you have any of the following symptoms, especially if they are new, worse, or worry you: thoughts about suicide or dying; attempting to commit suicide; new or worse depression, anxiety, or irritability; feeling agitated or restless; panic attacks; trouble sleeping (insomnia); acting aggressive; being angry or violent; acting on dangerous impulses; an extreme increase in activity and talking (mania); or other unusual changes in behavior or mood.

Nervous system problems: XCOPRI may cause problems that affect your nervous system. Symptoms of nervous system problems include: dizziness, trouble walking or with coordination, feeling sleepy and tired, trouble concentrating, remembering, and thinking clearly, and vision problems. **Do not drive, operate heavy machinery, or do other dangerous activities until you know how XCOPRI affects you.**

Do not drink alcohol or take other medicines that can make you sleepy or dizzy while taking XCOPRI without first talking to your healthcare provider.

DISCONTINUATION:

Do not stop taking XCOPRI without first talking to your healthcare provider. Stopping XCOPRI suddenly can cause serious problems. Stopping seizure medicine suddenly in a patient who has epilepsy can cause seizures that will not stop (status epilepticus).

DRUG INTERACTIONS:

XCOPRI may affect the way other medicines work, and other medicines may affect how XCOPRI works. **Do not start or stop other medicines without talking to your**

IMPORTANT SAFETY INFORMATION (CONT'D)

healthcare provider. Tell healthcare providers about all the medicines you take, including prescription and over-the-counter medicines, vitamins and herbal supplements.

PREGNANCY AND LACTATION:

XCOPRI may cause your birth control medicine to be less effective. **Talk to your health** care provider about the best birth control method to use.

Talk to your health care provider if you are pregnant or plan to become pregnant. It is not known if XCOPRI will harm your unborn baby. Tell your healthcare provider right away if you become pregnant while taking XCOPRI. You and your healthcare provider will decide if you should take XCOPRI while you are pregnant. If you become pregnant while taking XCOPRI, talk to your healthcare provider about registering with the North American Antiepileptic Drug (NAAED) Pregnancy Registry. The purpose of this registry is to collect information about the safety of antiepileptic medicine during pregnancy. You can enroll in this registry by calling 1-888-233-2334 or go to www.aedpregnancyregistry.org.

Talk to your health care provider if you are breastfeeding or plan to breastfeed. It is not known if XCOPRI passes into breastmilk. Talk to your healthcare provider about the best way to feed your baby while taking XCOPRI.

COMMON SIDE EFFECTS:

The most common side effects in patients taking XCOPRI include dizziness, sleepiness, headache, double vision, and feeling tired.

These are not all the possible side effects of XCOPRI. Tell your healthcare provider if you have any side effect that bothers you or that does not go away. For more information, ask your healthcare provider or pharmacist. **Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088** or at www.fda.gov/medwatch.

DRUG ABUSE:

XCOPRI is a federally controlled substance (CV) because it can be abused or lead to dependence. Keep XCOPRI in a safe place to prevent misuse and abuse. Selling or giving away XCOPRI may harm others and is against the law.

INDICATION:

XCOPRI is a prescription medicine used to treat partial-onset seizures in adults 18 years of age and older.

It is not known if XCOPRI is safe and effective in children under 18 years of age.

Please see additional patient information in the Medication Guide. This information does not take the place of talking with your healthcare provider about your condition or your treatment.

Please see full Prescribing Information and Medication Guide.

