


**XCOPRI**<sup>®</sup>  
(cenobamate tablets)   
12.5 • 25 • 50 • 100 • 150 • 200 mg

XCOPRI<sup>®</sup> (cenobamate tablets) CV is a prescription medicine used to treat partial-onset seizures in adults.

# MOVE FORWARD WITH XCOPRI.

It could get you on the road  
to significant seizure reduction.



## Important safety information and indication for XCOPRI<sup>®</sup> (cenobamate tablets) CV

### Do not take XCOPRI if you:

- Are allergic to cenobamate or any of the other ingredients in XCOPRI.
- Have a genetic problem (called Familial Short QT syndrome) that affects the electrical system of the heart.

Please see additional Important Safety Information throughout and full [Prescribing Information](#) and [Medication Guide](#).



*You've got questions? We've got answers.*


→ Can once-daily XCOPRI help me? 4

→ What side effects could I experience while taking XCOPRI? 6

→ How well has XCOPRI worked for others? 8

→ Can I afford XCOPRI? 10

*Keep going and learn more.*



**Important safety information and indication (cont'd)**

**XCOPRI CAN CAUSE SERIOUS SIDE EFFECTS, INCLUDING:**

**Allergic reactions:** XCOPRI can cause serious or life threatening skin rash or other serious allergic reactions which may affect organs and other parts of your body like the liver or blood cells. You may or may not have a rash with these types of reactions. Call your healthcare provider right away and go to the nearest emergency room if you have any of the following: swelling of your face, eyes, lips, or tongue, trouble swallowing or breathing, a skin rash, hives, fever, swollen glands, or sore throat that does not go away or comes and goes, painful sores in the mouth or around your eyes, yellowing of your skin or eyes, unusual bruising or bleeding, severe fatigue or weakness, severe muscle pain, frequent infections, or infections that do not go away. **Take XCOPRI exactly as your healthcare provider tells you to take it. It is very important to increase your dose of XCOPRI slowly, as instructed by your healthcare provider.**

Please see additional Important Safety Information throughout and full [Prescribing Information](#) and [Medication Guide](#).

# The confidence to try a different medication, so fewer seizures could be yours.

You want fewer seizures, but fear the unknown? Worried that trying a different medicine might set you back, or bring on more side effects? That's why it may be comforting to know **XCOPRI has been proven to significantly reduce seizures, even among those who've suffered from them for over 20 years.** Hopefully, that helps you move forward with XCOPRI!



# Proven seizure reduction is real.

## Look at the numbers.

A clinical study showed  
XCOPRI reduced the  
frequency of seizures  
by up to **55%**  
compared to 24% with placebo.\*

In fact, as many as **1 out of every 5 people** achieved **ZERO** seizures with XCOPRI.<sup>§‡</sup>

- XCOPRI is approved to be used alone or as an add-on medication to help reduce seizures.
- XCOPRI delivers on what epilepsy patients have always hoped for: a once-daily medication with proven seizure reduction.


\*During an 18-week study (6-week titration phase and 12-week maintenance phase) when participants were taking either XCOPRI or placebo (sugar pill), which was added to their anti-seizure medication to treat partial-onset seizures, seizures were reduced by: 55% with 400 mg, 55% with 200 mg, 36% with 100 mg, vs. 24% with placebo.

§During the 12-week maintenance phase when participants were taking either XCOPRI or placebo (sugar pill), which was added to their anti-seizure medications to treat partial-onset seizures, the percent of patients who achieved zero seizures with XCOPRI was 21% with 400 mg, 11% with 200 mg, 4% with 100 mg, vs. 1% with placebo.

‡Individual results may vary.



XCOPRI has been proven to significantly reduce seizures, even in those who've had seizures for over 20 years.



Learn more about how well XCOPRI can work at [xcopri.com/xcopri-results/](http://xcopri.com/xcopri-results/) or scan QR code

### Important safety information and indication (cont'd)

**QT shortening: XCOPRI may cause problems with the electrical system of the heart (QT shortening).** Call your healthcare provider if you have symptoms of QT shortening including fast heartbeat (heart palpitations) that last a long time or fainting.

**Suicidal behavior and ideation:** Antiepileptic drugs, including XCOPRI, may cause suicidal thoughts or actions in a very small number of people, about 1 in 500. Call your health care provider right away if you have any of the following symptoms, especially if they are new,

### Important safety information and indication (cont'd)

worse, or worry you: thoughts about suicide or dying; attempting to commit suicide; new or worse depression, anxiety, or irritability; feeling agitated or restless; panic attacks; trouble sleeping (insomnia); acting aggressive; being angry or violent; acting on dangerous impulses; an extreme increase in activity and talking (mania); or other unusual changes in behavior or mood.

Please see additional Important Safety Information throughout and full [Prescribing Information and Medication Guide](#).

# Possible side effects.

Like with most medicine, you can experience side effects while taking XCOPRI:

## MOST COMMON SIDE EFFECTS



Feeling sleepy  
and tired



Dizziness



Double vision



Headache

### Before starting once-daily XCOPRI

It is important to let your doctor know if you have been diagnosed with a genetic problem that affects your heart (called Familial Short QT syndrome). Do not take XCOPRI if you have Familial Short QT syndrome.

### Managing your side effects


Everyone reacts differently to anti-seizure medications. Just as your body needs time to adjust when starting a new anti-seizure medication, you might experience symptoms. Keep track of any side effect you have and share it with your doctor. They can provide medical advice about side effects.

In clinical studies, while mood-related side effects were uncommon in participants taking XCOPRI, it is important to pay attention to any changes, especially sudden changes in mood, behaviors, thoughts or feelings and report any to your healthcare provider.

### XCOPRI can cause serious or life-threatening side effects

Call your doctor or 911 right away if you experience reactions such as a skin rash, hives, fever, swelling of the face, eyes, lips, or tongue. Please refer to the Medication Guide and Important Safety Information for additional information.

**These are not all the possible side effects of XCOPRI. A full description of side effects can be found in the full Prescribing Information and Medication Guide and throughout this brochure.**



Learn more about the side effects of XCOPRI  
at [xcopri.com/taking-xcopri/](https://xcopri.com/taking-xcopri/) or scan QR code

## Important safety information and indication (cont'd)

**Liver problems:** XCOPRI may cause liver problems. Your healthcare provider will do blood tests to check your liver before you start XCOPRI and while you take XCOPRI if needed. Tell your healthcare provider right away if you have any symptoms of liver problems, such as: yellowing of the skin and eyes (jaundice), nausea, vomiting, unusual darkening of the urine, or feeling tired or weak.

**Nervous system problems:** XCOPRI may cause problems that affect your nervous system. Symptoms of nervous system problems include: dizziness, trouble walking or with coordination, feeling sleepy and tired, trouble concentrating, remembering, and thinking clearly, and vision problems. **Do not drive, operate heavy machinery, or do other dangerous activities until you know how XCOPRI affects you.**

## Important safety information and indication (cont'd)

**Do not drink alcohol or take other medicines that can make you sleepy or dizzy while taking XCOPRI without first talking to your healthcare provider.**

### DISCONTINUATION:

**Do not stop taking XCOPRI without first talking to your healthcare provider.** Stopping XCOPRI suddenly can cause serious problems. Stopping seizure medicine suddenly in a patient who has epilepsy can cause seizures that will not stop (status epilepticus).

Please see additional Important Safety Information throughout and full [Prescribing Information](#) and [Medication Guide](#).

# Actual patient stories from the road to seizure reduction.

Hear from people like you who've overcome the fear of trying a different medication. They've had fewer seizures with XCOPRI.



Kailey



JenVon



Shannon



See their stories at [xcopri.com/epilepsy-patient-videos/](https://xcopri.com/epilepsy-patient-videos/) or scan QR code

# You're not alone in your journey.

Starting a new medication can leave you with questions and concerns. Talking to your doctor about XCOPRI can help. XCOPRI can also get you paired with a mentor who knows what you're going through.

**Some topics you could discuss with your mentor:**

- Personal experience with XCOPRI
- Advice on building and maintaining a support system

## Get started

Brought to you by **PatientPartner** 

1


**Tell us about yourself**  
Take the PatientPartner survey to find a mentor who's been through a similar journey, ensuring a perfect match.

2

**Message your mentor**  
Meet the mentor you've been matched with and send them a message to introduce yourself and ask questions.

3

**Get support and advice**  
Keep in touch with an advocate who understands your experiences and can give guidance throughout your journey.



Get started at [patientpartner.com/treatments/skx](https://patientpartner.com/treatments/skx)

### Important safety information and indication (cont'd)

**DRUG INTERACTIONS:**

XCOPRI may affect the way other medicines work, and other medicines may affect how XCOPRI works. **Do not start or stop other medicines without talking to your healthcare provider.** Tell healthcare providers about all the medicines you take, including prescription and over-the-counter medicines, vitamins and herbal supplements.

### Important safety information and indication (cont'd)

**PREGNANCY AND LACTATION:**

XCOPRI may cause your birth control medicine to be less effective. **Talk to your healthcare provider about the best birth control method to use.**

Please see additional Important Safety Information throughout and full [Prescribing Information and Medication Guide](#).

# Start down the road.

The XCOPRI<sup>®</sup> (cenobamate tablets) CV Trial Offer was designed to allow people getting started on XCOPRI to see if it's right for them. If eligible, you can receive your first month's prescription of XCOPRI (12.5/25 mg) at \$0.\*



After that, most eligible patients with commercial insurance may pay as little as **\$20 per month\*** on their refills.



On average, **9 out of 10 people** in the United States with some type of prescription insurance have access to XCOPRI.

See full terms and conditions at: [xcopri.com/epilepsy-resources/](http://xcopri.com/epilepsy-resources/)

\* Eligibility requirements apply.

## What to expect from insurance

**Commercial Insurance**  
(usually through you or a family member's employer)

You may be eligible to get your XCOPRI for **\$20** per prescription. This will happen automatically at the pharmacy when you check out.

**Medicaid**

You can typically expect to pay less than **\$5** per prescription.

**Medicaid Extra Help (i.e., Medi-Medi, dual-eligible, low income subsidy)**

You can typically expect to pay less than **\$15** per prescription.

**Medicare Part D only**

Insurance plans vary. Consult your plan for your copay costs. Medicare Part D patients have a **\$2,100** max out of pocket for all covered medications per calendar year and can enroll in the Medicare Payment Prescription Program. For more information go to [www.medicare.gov/prescription-payment-plan](http://www.medicare.gov/prescription-payment-plan)



## Important safety information and indication (cont'd)

**Talk to your healthcare provider if you are pregnant or plan to become pregnant.** It is not known if XCOPRI will harm your unborn baby. Tell your healthcare provider right away if you become pregnant while taking XCOPRI. You and your healthcare provider will decide if you should take XCOPRI while you are pregnant. If you become pregnant while taking XCOPRI, talk to your healthcare provider about registering with the North American Antiepileptic Drug (NAAED) Pregnancy Registry. The purpose of this registry is to collect information about the safety of antiepileptic medicine during pregnancy. You can enroll in this registry by calling 1-888-233-2334 or go to [www.aedpregnancyregistry.org](http://www.aedpregnancyregistry.org).

**Talk to your healthcare provider if you are breastfeeding or plan to breastfeed.** It is not known if XCOPRI passes into breastmilk. Talk to your healthcare provider about the best way to feed your baby while taking XCOPRI.

### COMMON SIDE EFFECTS:

The most common side effects in patients taking XCOPRI include dizziness, sleepiness, headache, double vision, and feeling tired.

## Important safety information and indication (cont'd)

These are not all the possible side effects of XCOPRI. Tell your healthcare provider if you have any side effect that bothers you or that does not go away. For more information, ask your healthcare provider or pharmacist.

**Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088** or at [www.fda.gov/medwatch](http://www.fda.gov/medwatch).

### DRUG ABUSE:

**XCOPRI is a federally controlled substance (CV) because it can be abused or lead to dependence.** Keep XCOPRI in a safe place to prevent misuse and abuse. Selling or giving away XCOPRI may harm others and is against the law.

### INDICATION:

XCOPRI is a prescription medicine used to treat partial-onset seizures in adults.

Please see additional patient information in the Medication Guide. This information does not take the place of talking with your healthcare provider about your condition or your treatment.

Please see additional Important Safety Information throughout and full [Prescribing Information](#) and [Medication Guide](#).


# XCOPRI®

(cenobamate tablets) CV

12.5 • 25 • 50 • 100 • 150 • 200 mg

## ASK YOUR DOCTOR HOW YOU CAN MOVE FORWARD WITH XCOPRI.

*It could get you on the road to significant seizure reduction.*



Find a doctor at [my.aesnet.org/FindaDoctor](https://my.aesnet.org/FindaDoctor)  
or scan QR code



### Important Safety Information and indication for XCOPRI® (cenobamate tablets) CV

#### DO NOT TAKE XCOPRI IF YOU:

- Are allergic to cenobamate or any of the other ingredients in XCOPRI.
- Have a genetic problem (called Familial Short QT syndrome) that affects the electrical system of the heart.

#### XCOPRI CAN CAUSE SERIOUS SIDE EFFECTS, INCLUDING:

**Allergic reactions: XCOPRI can cause serious or life threatening skin rash or other serious allergic reactions which may affect organs and other parts of your body like the liver or blood cells.** You may or may not have a rash with these types of reactions. Call your healthcare provider right away and go to the nearest emergency room if you have any of the following: swelling of your face, eyes, lips, or tongue, trouble swallowing or breathing, a skin rash, hives, fever, swollen glands, or sore throat that does not go away or comes and goes, painful sores in the mouth or around your eyes, yellowing of your skin or eyes, unusual bruising or bleeding, severe fatigue or weakness, severe muscle pain, frequent infections, or infections that do not go away. **Take XCOPRI exactly as your healthcare provider tells you to take it. It is very important to increase your dose of XCOPRI slowly, as instructed by your healthcare provider.**



a subsidiary of SK biopharmaceuticals

©2026 SK Life Science, Inc., a subsidiary of SK Biopharmaceuticals Co., Ltd. PM-US-XCOP-1852 01/26